

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Public Services – M.A. & UD Department - Guntur Municipal Corporation – Allegations leveled against Sri K.J.Upendra Singh, Municipal Engineer., Sri Ram Nayak, Dy.Executive Engineer and Sri Ch.Ramesh Babu, Asst.Executive Engineer in Leakages in drinking water pipeline in Guntur Municipal Corporation – Dereliction of duties of Municipal Engineer and Asst. Engineer of Guntur Municipal Corporation – Appointment of Enquiry Authority - Revised orders for appointing Sri B.Janaki Ram, Superintending Engineer (PH) Rajahmundry as Enquiry Officer – Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.II) DEPARTMENT

G.O.Rt.No.800

Dated: 05-06-2008

Read the following: -

- 1 G.O.Rt.No.1448, M.A. & UD (Vig.II) Department, dt: 21-12-06.
- 2 From the Engineer-in-Chief (PH) Hyderabad Letter No.17/ CS7/ 2005, dated: 09-05-2008.

* * *

O R D E R: -

Whereas, an Inquiry under Rule – 20 of APCS (CCA) Rules, 1991 is being held against Sri K. J. Upendra Singh, the then Municipal Engineer, Sri L. Ram Nayak, Deputy Executive Engineer and Sri Ch. Ramesh Babu, Asst. Executive Engineer, Municipal Corporation of Guntur on the alleged irregularities in drinking water supply pipeline leakages and laying of 600 mm dia PSC pipeline from Raghava Nagar main Road to Mangalagiri Railway gate in Guntur under APUSP Scheme. In the reference 1st read above Sri Praveen Kumar, Superintending Engineer (PH) Rajahmundry as Inquiry Authority to inquire into the said charges.

2. In the reference 2nd read above, the Engineer-in-Chief (PH) Hyderabad has requested that necessary orders for appointment of a new Enquiry Officer in place of Sri K. N. Praveen Kumar, Superintending Engineer (PH) Rajahmundry, as he proceeded on long leave (i.e.) with effect from 25-10-2007 onwards.

3. Government, under sub-rule (2) of Rule 20 of APCS (CCA) Rules, 1991, hereby appoints Sri B. Janaki Ram, Superintending Engineer (PH) Rajahmundry as Inquiring Authority in place of Sri K. Praveen Kumar, Superintending Engineer(PH) to enquire into the charges framed against officers mentioned in para (1) above.

4. The Enquiry Officer shall conduct the enquiry within stipulated period under the CCA Rules and to submit his report to Government immediately.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**S.P.SINGH,
PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri B. Janaki Ram, Superintending Engineer (PH) Rajahmundry,

Through: Engineer-in-Chief (PH) Hyderabad

Sri K. Praveen Kumar, Superintending Engineer (PH)

Through: Engineer-in-Chief (PH) Hyderabad

(with a request to handed over the all the relevant records/material to the new Enquiry Officer)

Sri C. Gopal Reddy, I/c Executive Engineer & Presenting Officer

O/o the Guntur Municipal Corporation, Guntur

Through: the Engineer-in-Chief (PH), Hyderabad.

Copy to:

The Engineer-in-Chief (PH) Hyderabad.

The individuals concerned

(through: Engineer-in-Chief (PH) Hyderabad)

//Forwarded :: By Order//

SECTION OFFICER